

Safety Data Sheet

Issue Date: 06-Jul-2016 Revision Date: 07-May-2018 Version 2

1. IDENTIFICATION

Product Identifier PCR-40

Other means of identification M-02882, M-02885, M-02887

Recommended use Powder Coating Remover

Restriction on Use For industrial use only

Supplier Address Ashburn Chemical Technologies

7403 Wright Rd Houston, TX 77041

Company Phone Number 832-399-1000

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Classification Classified according to OSHA HazCom 2012 and Canada's Hazardous Products

Regulations (WHMIS 2015), amended to conform to the UN-GHS

Acute Toxicity- Oral Category 4
Acute Toxicity- Inhalation Category 4
Skin corrosion /irritation Category 1
Serious eye damage/eye irritation Category 1

Signal Word DANGER

Hazard Statements H302 Harmful if swallowed

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage



Precautionary Statements - Prevention

P260 Do not breathe dust/fume/gas/mist/vapors/spray P270 Do not eat, drink, or smoke when using this product P271 Use only outdoors or in a well-ventilated area

P264 Wash face, hands and any exposed skin thoroughly after handling P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

P310 Immediately call a poison center or doctor/physician (for eye contact, inhalation, ingestion, and if you feel unwell)

P301+P330+P331

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P304+P340

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P303+P361+P353+P363

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Precautionary Statements - Storage

P405 Store locked up

Precautionary Statements - Disposal

P501 Dispose of contents/container to an approved waste disposal plant

Other Hazards Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Benzyl Alcohol	100-51-6	30-60
Glycolic Acid	79-14-1	1-10
Ethylene glycol phenyl ether	122-99-6	1-5

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

General Advice If you feel unwell, seek medical advice. Show the label where possible. Show this safety

data sheet to the doctor / medical personnel for treatment

Eye Contact Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Get medical aid immediately.

Skin Contact Wash contact areas with soap and water. Remove contaminated clothing and lauder

before reuse. If skin irritation persists, call a physician.

Inhalation Remove from further exposure. Use adequate respiratory protection. Seek immediate

medical assistance.

Ingestion Rinse mouth. Do not induce vomiting without medical advice. Seek immediate medical

attention/advice.

Most important symptoms and effects

Symptoms Severe eye damage. May cause skin burn and digestive tract burns.

Upper respiratory tract irritation.

See SECTION 11 for more information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat as a corrosive substance

5. FIRE-FIGHTING MEASURES

Suitable /Unsuitable **Extinguishing Media** Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames

Do not use high volume water jet.

Specific Hazards Arising

from the Chemical

Thermal decomposition may produce toxic fumes or harmful vapor.

Hazardous Combustion Products None-known

Protective equipment / **Precautions for firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

(approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid contact with skin or eyes.

> Avoid breathing dust/fume/gas/mist/vapors/spray See SECTION 8 for Personal Protective Equipment

Environmental Precautions Prevent entry into waterways, rivers, lakes, drains, surface water, or ground water.

> Prevent further leakage or spillage if safe to do so. See SECTION 12 for Ecological Information.

Methods for Clean-Up Absorb or cover with dry earth, sand or other non-combustible material.

Sweep up absorbed material and shovel into suitable containers for disposal.

Discard any product, residue, disposable container or liner in full compliance with federal,

state, and local regulations.

See SECTION 13 for Waste Disposal.

7. HANDLING AND STORAGE

Advice on Safe Handling Do not handle until all safety precautions have been read and understood.

Handle in accordance with good industrial hygiene and safety practice.

Avoid breathing fumes, vapors, mists, spray.

Wash face, hands, and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

See SECTION 8 for Personal Protection. See SECTION 2 for Precaution Statements

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place.

Do not store in open or unlabeled containers.

Storage temperature 5-40°C (41-104°F). Store locked up.

Acids. Oxidizing agents. Halogenated materials. **Incompatible Materials**

Avoid prolonged contact with alkali sensitive materials or alloys.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines No exposure limits noted for ingredient(s)

Engineering Controls Adequate ventilation. Maintain eye wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses and face shield

Skin and Body Protection Wear suitable protective clothing and chemical resistant gloves

Personal protective clothing must be selected according to the concentration and amount

of the dangerous substance at the specific workplace.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

In case of inadequate ventilation wear respiratory protection

General Hygiene Considerations Avoid contact with skin, eyes and clothing.

After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing and lauder before reuse.

See SECTION 4 for First-Aid Measure

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear Odor Mild

Color Light yellow Odor Threshold Not determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 2.8 – 3.2

Melting Point/Freezing Point Not determined Boiling Point/Boiling Range > 100 °C / 212 °F

Flash Point Not flammable

Evaporation Rate Not determined (butyl acetate = 1)

Flammability (Solid, Gas)
Upper Flammability Limits
Not determined
Not determined
Not determined

Vapor Pressure
Vapor Density
Not determined

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined **VOC Content (%)** Not determined

@68° F(20°C) (Air=1) (1=Water)

10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

Chemical Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to Avoid Incompatible Materials

Incompatible Materials Oxidizing agents Cyanides, Sulphides, active metals

Hazardous Decomposition ProductsThermal decomposition and combustion are not expected to occur except under extreme conditions.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye Contact Causes severe eye damage.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Permanent eye damage including blindness could result.

Skin Contact May cause skin corrosion.

Symptoms may include pain, skin burn.

Inhalation Harmful if inhaled.

May cause irritation to upper respiratory system.

Ingestion Harmful if swallowed.

May cause digestive tract burns.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Acute Effects Exposure to alkaline solutions may result in irritation to any contact tissue,

including possible burns, depending on the concentration, duration, and nature of the

exposure

Chronic Effects Prolonged inhalation may be harmful.

Information on physical, chemical and toxicological effects

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Benzyl Alcohol	1,230 MG/Kg (Rat)	-	-		
100-51-6					
Glycolic Acid	2,040 mg/Kg (Rat)		3.6 mg/L (Rat, 4h)		
79-14-1					
Ethylene glycol phenyl ether	500 mg/Kg (Rat)	>2,214 mg/Kg (Rabbit)	> 1,000 m/m ³ (Rat, 6 hr)		
122-99-6					

Sensitization (skin/Respiratory) No data available

Mutagenicity No data available

Carcinogenicity No data available

Reproductive Toxicity No data available

Aspiration Hazard No data available.

STOT- single exposure May cause respiratory tract irritation

STOT- repeated exposure No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Benzyl Alcohol 100-51-6		LC50 - Lepomis macrochirus	EC50 - Daphnia magna (Water
		(Bluegill) - 10 mg/l - 96 h	flea) - 55 mg/l - 24 h
Glycolic Acid 79-14-1	Pseudokirchneriella subcapitata	Pimephales promelas (fathead	qaphniamagna (Water flea)
	(green algae) 44mg/1 OECD	minnow) 164mgt1	141mg/1 OECD Test Guideline
	Test		202
	Guideline 201		
Ethylene glycol phenyl ether	EC50 (Desmodesmus	LC50 (Pimephales promelas	EC50 (Daphnia magna (Water
122-99-6	subspicatus (green algae)): 500	(fathead minnow)): 344 mg/l	flea)): 500 mg/l Exposure time:
	mg/l	Exposure time: 96 h	48 h
	Exposure time: 72 h		Method: OECD Test Guideline
			202

Persistence/Degradability No data available.

Bioaccumulation No data available

Mobility No data available

Other Adverse Effects Not determined

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

DOT

UN/ID No UN1760

Proper Shipping Name Compounds, cleaning liquid, Corrosive

Class/ Group 8, III

IATA

UN/ID No UN1760

Proper Shipping Name Compounds, cleaning liquid, Corrosive

Class/ Group 8, III

IMDG

UN/ID No UN1760

Proper Shipping Name Compounds, cleaning liquid, Corrosive

Class/ Group 8, III

15. REGULATORY INFORMATION

<u>International Inventories</u>

The component(s) of this product either on the inventory or in compliance with the inventory from the following countries:

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Ethylene glycol phenyl ether 122-99-6	Х	Х	-	х	Х	-	Х	Х	Х	Х

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quality This material contains a hazardous substance under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the

Superfund Amendments and Reauthorization Act (SARA) (40 CFR 255)

SARA 311/312 Acute Health Hazard

SARA 313 This material does not contain any chemical components with known CAS numbers that

exceed the threshold (De Minimis) reporting levels established by SARA Title III, Sec 313.

US State Regulations

California Proposition 65 This product does not contain any Prop 65 chemical

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene glycol phenyl ether 122-99-6	Х	X	Х
Benzyl Alcohol 100-51-6	Х	X	Х

16. OTHER INFORMATION

NFPAHealth HazardsFlammabilityInstabilitySpecial Hazards200Not determinedHMISHealth HazardsFlammabilityPhysical HazardsPersonal Protection200Not determined

Issue Date:06-Jul-2016Revision Date:07-May-2018Revision Note:Updated All Sections

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet