

# Safety Data Sheet

Issue Date: 16-Jan-2015	Revision Date: 28	28-Mar-2019	Version 2	
1. IDENTIFICATION				
Product Identifier Product Name	SHORING FLUID (WINTE	ER GRADE)		
Other means of identification Item# F-9120-01 F-9120-55 SDS #				
Recommended use of the chemica				
Recommended Use	Water-based fluid for using	ig in hydraulic shoring system.		
Details of the supplier of the safety Supplier Address	data sheet			
Supplier Address	Ashburn Chemical Techno 7403 Wright Rd Houston, TX 77041	blogies		
Emergency Telephone Number Company Phone Number Emergency Telephone (24 hr)	832-399-1000 INFOTRAC 1-352-323-35( 1-800-535-5053 (North An			
	2. HAZARDS ID	DENTIFICATION		
Appearance Fluorescent	Physical State Liqui	id	Odor Mild	
Classification_				
1910.1200). However, this Safety Da	ta Sheet (SDS) contains valu	ne 2012 OSHA Hazard Communication uable information critical to the safe h oyees and other users of this product.	andling and proper use of	
Hazard Symbol	N/A			
Signal Word	None			
Precautionary Statement	N/A			
3. 0	OMPOSITION/INFORM	MATION ON INGREDIENTS		

Chemical Name	CAS No	Weight-%
Triethanolamine	102-71-6	1-5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

F9120 -SHORING FLUID (WINTER GRA	ADE) Revision Date: 28-Mar-2019
First Aid Measures	
General Advice	Provide this SDS to medical personnel for treatment.
Eye Contact	Flush immediately with copious amounts of water for 15 minutes. If irritation persists, see physician.
Skin Contact	Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation persists, call a physician.
Inhalation	Remove from further exposure. For those providing assistance, avoid exposure to yourself or others. Seek immediate medical assistance.
Ingestion	Do not induce vomiting without medical advice. Seek immediate medical attention/advice.
Most important symptoms and eff	ects
Symptoms	May cause skin and eye irritation.
Indication of any immediate medic	cal attention and special treatment needed
Notes to Physician	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable Extinguishing Media	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.
Unsuitable Extinguishing Medi	ia Do not use straight streams.
Specific Hazards Arising from the	Chemical Not determined.
Hazardous Combustion Produ	icts Oxides of carbon and nitrogen compounds.
Protective equipment and precaut	ions for firefighters
	Evacuate area. Prevent runoff from fire control or dilution from entering streams, sewers, or drinking water supply. Firefighters should use standard protective equipment and in
	enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.
	enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire
Personal precautions, protective e	enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.
Personal precautions, protective e	enclosed spaces, self-contained breathing apparatus (SCBA). Use water spray to cool fire exposed surfaces and to protect personnel.  6. ACCIDENTAL RELEASE MEASURES

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so. Absorb or cover with dry earth, sand or other non-combustible material.

Methods for Clean-Up	Sweep up absorbed material and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations. For waste disposal, see section 13 of the SDS. Contain large spills and pump into a suitable tank for disposal. In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. US regulations require reporting releases of this material to the environment which exceed the applicable reportable quantity or oil spills which could reach any waterway including intermittent dry creeks. The National Response Center can be reached at (800) 424-8802.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing fumes, vapors, mists, spray. Wash face, hands, and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
Conditions for safe storage, inclue	ding any incompatibilities
Storage Conditions	Keep container tightly closed and store in a cool, dry and well-ventilated place. Do not store in open or unlabeled containers. Store away from heat and open flame. Storage temperature > 40 F.
Incompatible Materials	Strong acids, alkalis, certain oxidizing agents

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Exposure Guidelines

Chemical Name		ACGIH TLV	OSHA PEL	NIOSH IDLH
Triethanolamine 102	2-71-6	TWA: 5 mg/m <sup>3</sup>	-	-
Propane-1,2-diol 57-	-55-6	TWA: 10 mg/m <sup>3</sup>	-	-

## Appropriate engineering controls

Engineering Controls Maintain eye wash fountain and quick-drench facilities in work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	If contact is likely, safety glasses with side shields are recommended.
Skin and Body Protection	If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.
<b>Respiratory Protection</b>	Ensure adequate ventilation, especially in confined areas.
General Hygiene Consideratior	<b>is</b> Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	
Appearance	
Color	

Liquid Clear liquid Fluorescent

Odor Odor Threshold Mild Not determined

#### F9120 -SHORING FLUID (WINTER GRADE)

<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point Upper / lower Flammability Limits	<u>Values</u> 7.5 – 8.5 Not determined 100 °C / 212 °F Not determined Not determined	<u>Remarks • Method</u>
Flammability (Solid, Gas) Evaporation Rate	Not flammable < 1.0	
Vapor Density Specific Gravity	> 1.0 1.03 – 1.05	(Air=1) (1=Water)
Water Solubility	Completely soluble	(1-Water)
Solubility in other solvents Partition Coefficient Auto-ignition Temperature	Not determined Not determined Not determined	
Decomposition Temperature Dynamic Viscosity VOC Content (%)	Not determined Not determined Not determined	

# 10. STABILITY AND REACTIVITY

Reactivity_	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Conditions to Avoid	Incompatible Materials.
Incompatible Materials	Strong acids, alkalis, certain oxidizing agents.
Hazardous Decomposition Produc	ts Thermal decomposition and combustion are not expected to occur except under extreme conditions.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Product Information	
Eye Contact	Causes serious eye irritation.
Skin Contact	Prolonged contact may cause redness and irritation.
Inhalation	May cause irritation to the mucous membranes and upper respiratory tract.
Ingestion	May cause gastrointestinal irritation or diarrhea.

### Component Information

Chemical Name		Oral LD50	Dermal LD50	Inhalation LC50
Triethanolamine	CAS#102-71-6	= 4190 mg/kg (Rat)	> 2000 mg/kg (Rabbit)> 16 mL/kg (Rat)	-
Propane-1,2-diol	CAS# 57-55-6	20000 mg/kg(Rat)	20800 mg/kg(Rabbit)	-

# Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Triethanolamine 102-71-6		Group 3		

#### Legend

IARC (International Agency for Research on Cancer) Group 3 IARC components are "not classifiable as human carcinogens"

#### Numerical measures of toxicity Not determined

## **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Harmful to aquatic life with long lasting effects

#### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethanolamine 102-71-6	216: 72 h Desmodesmus subspicatus mg/L EC50 169: 96 h Desmodesmus subspicatus mg/L EC50	10600 - 13000: 96 h Pimephales promelas mg/L LC50 flow-through 1000: 96 h Pimephales promelas mg/L LC50 static 450 - 1000: 96 h Lepomis macrochirus mg/L LC50 static		1386: 24 h Daphnia magna mg/L EC50
Propane-1,2-diol 57-55-6 5		LC50= 51400 mg/L Pimephales promelas 96 h LC50= 51600 mg/L Oncorhynchus mykiss 96 h	EC50 = 710 mg/L 30 min	EC50 > 10000 mg/L 48 h

#### Persistence/Degradability

Biodegradation: Expected to be slowly biodegradable. Natural carbon dioxide will slowly neutralize this material. Not determined.

**Bioaccumulation** 

<u>Mobility</u>

Chemical Name	Partition Coefficient		
Triethanolamine 102-71-6	-2.53		

**Other Adverse Effects** 

Not determined

# **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws regulations.			
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.			
14. TRANSPORT INFORMATION				

<u>Note</u>	Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
DOT	Not regulated

ΙΑΤΑ

#### Not regulated

IMDG / Marine Pollutant Not regulated. This material may meet the definition of a marine pollutant

# **15. REGULATORY INFORMATION**

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Propane-1,2-diol	Present		Х	Present	Х	Х	Х	Present	Х	Х
Triethanolamine	Present	Х		Present		Present	Х	Present	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### <u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

#### SARA 311/312 Hazard Categories

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Sec112 of the Clean Air Act

#### US State Regulations

#### **California Proposition 65**

This product is not known to the state of California to cause cancer or reproductive harm.

#### U.S. State Right-to-Know Regulations

Chemical Name		New Jersey	Massachusetts	Pennsylvania	
Triethanolamine	102-71-6	Х	X	Х	
Propane-1,2-diol	57-55-6	Х	-	Х	

# **16. OTHER INFORMATION**

NFPA	Health Hazards	Flammability 0	<b>Instability</b> 0	Special Hazards
<u>HMIS</u>	Health Hazards 1	Flammability	Physical Hazards	Personal Protection

**Issue Date: Revision Date: Revision Note:**  20-Jan-2015 28-Mar-2019 Checked for accuracy. DL

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text **End of Safety Data Sheet**