

# Safety Data Sheet

Issue Date: 31-Oct-2019

**Review Date:** 

Version 1

1. IDENTIFICATION		
Product Name	ASHBURN RPL #7	
Other means of identification Item #	L-2517-05 L-2517-14 L-2517-32 L-2517-55	
Recommended Use	Rust preventative and lubricant	
Supplier Address	Ashburn Chemical Technologies 7403 Wright Rd Houston, TX 77041	
Company Phone Number	832-399-1000	
Emergency Telephone (24 hr)	INFOTRAC 1-352-323-3500 (International) 1-800-535-5053 (North America)	
	2. HAZARDS IDENTIFICATION	
Classification	Classified according to the US OSHA HazCom Standard 29 CFR 1910.1200 and Canada's Hazardous Products Regulations (HPR-WHMIS 2015) Aspiration HazardAspiration HazardCategory 1Skin sensitizationCategory 1Acute Aquatic toxicityCategory 2	
Signal Word	Danger	
Hazard Statements		
	H304 May be fatal if swallowed and enters airways H317 May cause an allergic skin reaction H401 Toxic to aquatic life	
Precautionary Statements - Preven	n <b>tion</b> P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	
	P264 Wash skin thoroughly after handling.	
	P272 Contaminated work clothing should not be allowed out of the workplace P273 Avoid release to the environment P280 Wear protective gloves/ eye protection/ face protection	

#### **Precautionary Statements - Response**

	P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for
--	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Precautionary Statements- Storage P405 Store locked up

#### **Precautionary Statements - Disposal**

P501 Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Other Hazards** 

None known

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Emulsifier	Proprietary Blend	2-5
Vegetable ester blend	Blend	55-65
Distillates, Hydrotreated Light Naphthenic	64742-53-6	30-45

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### **First Aid Measures**

General Advice	Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended
Eye Contact	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
Skin Contact	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
Inhalation	Consult a physician after significant exposure. If unconscious place in recovery position and seek medical advice.
Ingestion	Keep respiratory tract clear. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital

#### Most important symptoms and effects

Symptoms	May cause mild skin and eye irritation, symptoms include redness, burning, dry/cracking of the skin. May be fatal if swallowed and enters airways. Irritating to mouth, throat and stomach. See SECTION 11 for delayed and chronic effects.

Notes to Physician	If ingested, this material presents a significant aspiration and chemical pneumonitis hazard. Induction of emesis is not recommended. Consider activated charcoal and/or gastric lavage. If patient is obtunded, protect the airway by cuffed endotracheal intubation or by placement of the body in a Trendelenburg and left lateral decubitus position.		
	5. FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media	Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames. Class ABC fire extinguisher		
Unsuitable Extinguishing Media	Do not use forced stream as this could cause fire to spread		
Specific Hazards Arising from the Chemical	Carbon oxides, sulfur oxides, Hydrogen sulfide, Sulfuric acid		
Protective equipment / Precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.		
	6. ACCIDENTAL RELEASE MEASURES		
Personal Precautions	Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.		
Environmental Precautions	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities		
Methods for Clean-Up	Contain spillage, and then collect with non-combustible ab-sorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations See SECTION 13 for Waste Disposal		
	7. HANDLING AND STORAGE		
Advice on Safe Handling	Handle in accordance with good industrial hygiene and safety practice. Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Open drum carefully as content may be under pressure.		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.		

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH STEL
Distillates, Hydrotreated Light Naphthenic	TWA: 5 mg/m <sup>3</sup> 500 ppm STEL: 10 mg/m <sup>3</sup>	5 mg/m³ 8 hours (mist). 500 ppm	STEL: 10 mg/m <sup>3</sup> 15 minutes.
Legend:	ACGIH: American Conference of Governmental Industrial Hygienists OSHA: Occupational Safety and Health Administration NIOSH: National Institute for Occupational Safety and Health		TLV: Threshold Limit Value PEL: Permissible Exposure Limit STEL: Short Term Exposure Limit
Appropriate engineering controls	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory		
Personal Protective Equipment	limits.		
Eye/Face Protection	Safety glasses equipped with side shields are recommended as minimum protection in industrial settings.		ed as minimum protection in
Skin and Body Protection	Avoid skin contact with liquid. Chemical-resistant gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessmer indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. Leather gloves are not protective for liquid contact. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Avoid skin contact with liquid. Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved as a should be approved by a specialist before handling this product. Leather boots are not protective for liquid contact.		al products if a risk assessment acified by the glove uning their protective properties. we material may be different for ctive for liquid contact. cted based on the task being by a specialist before handling y additional skin protection prmed and the risks involved and
Respiratory Protection	Airborne concentrations should be kept to lowest levels. If vapor (oil mist) is generated, us respirator approved by OSHA or NIOSH as appropriate. Positive pressure air-supplying regulator should be used for cleaning large spills or upon entry into tanks, vessels or othe confined spaces.		sitive pressure air-supplying
General Hygiene Considerations	eating, drinking, or smokir	ves and clothing. After handling t ng. If contact occurs, remove cor on section 4 of this SDS. Laund	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Appearance/ Physical State Color	Clear, liquid Amber to light brown	Odor Odor Threshold	Mild PET odor Not determined
<u>Property</u> pH Melting Point/Freezing Point Boiling Point/Boiling Range Flash Point	<u>Values</u> N/A Not determined Not determined >310°F / >154°C	Remarks • Method	TM D 92
Evaporation Rate Flammability Upper Flammability Limits Lower Flammability Limit Vapor Pressure Vapor Density Specific Gravity	< 1 Not determined Not determined Not determined Not determined	(Air=1)	
Soluble in water	0.890 Insoluble		

Solubility in other solvents Viscosity Partition Coefficient Auto-ignition Temperature VOC content

#### Not determined ~ 9 cSt (appx) Not determined Not determined Not determined

@ 38°C (100°F)

## **10. STABILITY AND REACTIVITY**

Reactivity	Not reactive under normal conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	Stable under recommended storage conditions.
Conditions to Avoid	Keep away from heat, flame, sparks and other ignition sources.
Incompatible Materials	Oxidizing agents. Strong reducing agents.
Hazardous Decomposition Product	ts None known under normal conditions of use.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Eye Contact	May be irritating to eyes.
Skin Contact	May cause sensitization by skin contact. Prolonged and repeated contact may cause defatting and drying of the skin and may lead to irritation and/or dermatitis.
Inhalation	May be fatal if enters airways.
Ingestion	May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. May be fatal if swallowed.

#### Information on physical, chemical and toxicological effects

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
PET distillates (hydrotreated), light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5 mg/l 4hr (Rat)
Aspiration hazard	May be fatal if swallowed and enters airways.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA Nota L – Meets EU requirements of less than 3% (w/w) DMSO extract for total Polycyclic aromatic compound (PAC) using IP346. Not classified		
STOT- repeated/single exposure	The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effect		
Germ Cell Mutagenicity	No data available.		
Reproductive Toxicity	Contains no ingredient listed as t	toxic to reproduction	
Other information	Risk of chemical pneumonia afte	r aspiration into lung	
	12. ECOLOGICAL INF	FORMATION	
<u>Ecotoxicity</u>	This product should be considered	ed toxic to aquatic organisms.	

Persistence/Degradability	Not inherently biodegradable
Bioaccumulation	Not expected to bioaccumulate in aquatic organisms.
Mobility	May partition into air, soil and water.
Other Adverse Effects	No information available
	13. DISPOSAL CONSIDERATIONS
Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.
	14. TRANSPORT INFORMATION
DOT	Not regulated
ΙΑΤΑ	Not Regulated
IMDG	Not Regulated

# 15. REGULATORY INFORMATION

## International Inventories

Chemical	TSCA	DSL	NDSL	INSQ	EINECS	ELINCS	AICS	ENCS	IECSC	KECL	AICS
PET distillates, hydrotreated	Х	Х	-	Х	265-	-	Х	-	х	KE	Х
light 64742-53-6					149-8					1255 0	
WHMIS Classification		TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances INSQ- Mexico National Inventory of Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances Class D-2B: Material causing other toxic effects (Toxic)									
<u>US Regulations</u>											
EPCRA – Emergency Plan	ning and	Commu	nity Righ	nt-to-Kno	w Act						
CERCLA		This material does not contain a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)									
SARA 311/312 Hazard Cate	egories	Acute Health Hazard									
SARA 313		This product does not contain any chemical(s) regulated under the Section 313 Title III of the Superfund Amendments and Reauthorization Act									

#### **California Proposition 65**

#### This product does not contain any Proposition 65 chemicals.

16. OTHER INFORMATION								
<u>NFPA</u>	Health Hazards	Flammability	Instability	Special Hazards None				
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection				
	1	1	0	Determined by end user				
Issue Date: Revision Date:	31-Oct-2 Creatior	2019 n Date for SDS - DL						

Revision Date: Notes:

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet