

# **Safety Data Sheet**

#### 1. IDENTIFICATION

Product Name APEX 9000 WATER SOLUBLE OIL

Other means of identification

Item # A-4113-14 A-4114-05 4115-55 4115-275

Recommended Use Metalworking lubricant

Supplier Address Ashburn Chemical Technologies

7403 Wright Rd Houston, TX 77041

Company Phone Number 832-399-1000

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

### 2. HAZARDS IDENTIFICATION

Classification Classified according to the US OSHA Hazard Communication Standard 29 CFR 1910.1200

Canada's Hazardous Products Regulations (WHMIS 2015)

Acute Toxicity – Inhalation (dust/mist)

Skin Irritant

Category 4

Category 2

Eye Irritation

Category 2

Signal Word Warning

Hazard Statements H332 Harmful if inhaled

H315 Causes skin irritation

H319 Causes serious eye irritation



### **Precautionary Statements - Prevention**

P261 Avoid breathing dust/fume/gas/mist/vapor/spray P271 Use only outdoors or in a well-ventilated area

P264 Wash face, hands and any exposed skin thoroughly after handling P280 Wear protective gloves/protective clothing/eye protection/face protection

## **Precautionary Statements - Response**

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you fell unwell

P305+P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do.

P338 Continue rinsing

P337+P313 If eye irritation persists: Get medical advice/attention

P302+P352 IF ON SKIN: Wash with plenty of soap and water. P362+P364 Take off contaminated clothing and wash it before reuse. P332+P313 If skin irritation occurs: Get medical advice/attention.

Review Date: 13-Apr-2021

Other Hazards P501 Toxic to aquatic life with long lasting effects

**Unknown Acute Toxicity** 1-10% of the mixture consists of ingredient(s) of unknown toxicity (Inhalation: Dusts/Mist)

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Petroleum distillates, hydrotreated heavy naphthenic	64742-52-5	60-80

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

### 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash contact areas with soap and water. Remove contaminated clothing. Launder

contaminated clothing before reuse. If skin irritation persists, call a physician.

**Inhalation** Remove from further exposure. For those providing assistance, avoid exposure to yourself

or others. Use adequate respiratory protection. Seek immediate medical assistance. If breathing has stopped, assist ventilation with a mechanical device or use mouth-to-mouth

resuscitation.

**Ingestion** Do not induce vomiting. Seek immediate medical attention/advice.

#### Most important symptoms and effects

**Symptoms** May cause eye, skin and respiratory tract irritation.

May include redness, drying and cracking of skin.

May cause irritation to the mucous membranes and upper respiratory tract.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable / Unsuitable Extinguishing Media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish flames.

DO NOT use straight streams of water (could cause fire to spread).

Specific Hazards Arising from the Chemical

Not determined.

**Hazardous Combustion Products** 

Smoke, Fume, Incomplete combustion products, Oxides of carbon.

Protective equipment / Precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH

approved or equivalent) and full protective gear

# 6. ACCIDENTAL RELEASE MEASURES

**Apex 9000 Water Soluble Coolant** 

**Personal Precautions**Avoid contact with skin or eyes.

Do not breathe dust/fume/gas/mist/vapors/spray. See SECTION 8 for Personal Protective Equipment.

Environmental Precautions Prevent entry into drains, waterways, rivers, lakes, sewers, basements or confined areas.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

See SECTION 12 for Ecological Information

Methods for Clean-Up

Absorb or cover with dry earth, sand or other non-combustible material.

Sweep up absorbed material and shovel into suitable containers for disposal.

Discard any product, residue, disposable container or liner in full compliance with federal,

state, and local regulations.

See SECTION 13 for Waste Disposal

## 7. HANDLING AND STORAGE

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice.

Wash face, hands, and any exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before reuse.

Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapors/spray.

See SECTION 8 for Personal Protection. See SECTION 2 for Precaution Statements

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place.

Do not store in open or unlabeled containers.

Store away from heat and open flame. Storage temperature 5-40°C (41-104°F).

Incompatible Materials Oxidizing agents.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Exposure Guidelines**

The following information is given as general guidance

Chemical	ACGIH TLV	OSHA PEL	(US) NIOSH REL	Alberta	British Columbia OELs	Ontario OELs	Quebec OELs
Petroleum distillates, hydrotreated heavy naphthenic (Mist) 64742-52-5	TWA 5 mg/m <sup>3</sup>	TWA 5 mg/m <sup>3</sup>	10 mg/m <sup>3</sup> 15 min	TWA 5 mg/m <sup>3</sup> 8hr STEL 10 mg/m <sup>3</sup> 15 min Schedule 1, Table 2 7/2009	TWA 0.2 mg/m³ 8hr STEL 10 mg/m³ 15 min (Revised 5-2013)	TWA 5 mg/m <sup>3</sup> 8hr STEL 10 mg/m <sup>3</sup> 15 min Amended 6/2015	TWA 5 mg/m <sup>3</sup> 8hr STEL 10 mg/m <sup>3</sup> 15 min Amended 11/2011

<u>Legend:</u> ACGIH: American Conference of Governmental Industrial Hygienists

OSHA: Occupational Safety and Health Administration
NIOSH: National Institute for Occupational Safety and Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
STEL: Short Term Exposure Limit
TWA: Time weight average

Review Date: 13-Apr-2021

Appropriate engineering controls Provide exhaust ventilation or adequate ventilation is required to keep airborne

concentrations of vapors below their respective threshold limit value (TLV).

Maintain eye wash fountain and quick-drench facilities in work area.

Personal Protective Equipment

**Eye/Face Protection** If contact is likely, safety glasses with side shields are recommended.

**Skin and Body Protection** If prolonged or repeated contact is likely, chemical, and oil resistant clothing is

recommended.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

**Apex 9000 Water Soluble Coolant** 

Review Date: 13-Apr-2021

#### **General Hygiene Considerations**

Avoid contact with skin, eyes and clothing. After handling this product, wash hands before eating, drinking, or smoking. If contact occurs, remove contaminated clothing. If needed, take first aid action shown on section 4 of this SDS. Launder contaminated clothing before reuse.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Transparent liquid Odor Not determined Blue/Green Color **Odor Threshold** Not determined

Remarks • Method **Property Values** 

8.7-9.2 Hq

Melting Point/Freezing Point -27 to -19 °C / -16.5 to -2 °F

**Boiling Point/Boiling Range** Not determined Flash Point Not flammable **Evaporation Rate** < 1.0

Flammability (Solid, Gas) Not determined **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined Specific Gravity 0.91-0.92 Water Solubility Insoluble

Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

#### 10. STABILITY AND REACTIVITY

Reactivity Not reactive under normal conditions.

**Chemical Stability** Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

**Conditions to Avoid** Incompatible Materials.

**Incompatible Materials** Oxidizing agents.

Hazardous Decomposition Products Thermal decomposition and combustion are not expected to occur except under extreme

Conditions.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Eye Contact** May cause temporary irritation on eye contact.

**Skin Contact** Prolonged contact may cause redness and irritation.

Inhalation Harmful if inhaled.

·

Review Date: 13-Apr-2021

**Ingestion** May be harmful if swallowed.

**Symptoms** See Section 4 of this SDS for symptoms

#### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50		
Petroleum distillates, hydrotreated heavy naphthenic CAS# 64742-52-5	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 5 mg/L (Rat) 4 h		

#### Information on physical, chemical and toxicological effects

**Carcinogenicity** Carcinogenic potential is unknown.

Gem Cell Mutagenicity

No data available

Reproductive Toxicity

No data available

**STOT - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

Numerical measures of toxicity Not determined

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Not expected to be harmful to aquatic organisms

Persistence/Degradability Not inherently biodegradable

Bioaccumulation Unlikely to be significant because of the low water solubility of this product

Mobility Not available

Other Adverse Effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone

creation potential, endocrine disruption, global warming potential)

are expected from this component

## 13. DISPOSAL CONSIDERATIONS

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

US DOT Not regulated

IATA Not regulated

IMDG Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Petdistillates, hydrotreated	Υ	Υ		Υ		Υ	Υ	Υ	Υ	Υ
light naphthenic										

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical

Review Date: 13-Apr-2021

Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

WHMIS Classification D-1B: Material Causing immediate and Serious Toxic Effects (Toxic)

D-2B: Materials Causing Other Toxic Effects (Toxic)

**US Regulations** 

**CERCLA** 

This material, as supplied, does not contain any substances regulated as hazardous

substances under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act

(SARA) (40 CFR 355).

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986

(SARA). This product does not contain any chemicals which are subject to the reporting

requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean

Water Act (40 CFR 122.21 and 40 CFR 122.42)

California Proposition 65 This product does not contain any Proposition 65 chemicals

#### **16. OTHER INFORMATION**

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	1	0	0	
HMIS_	Health Hazards	Flammability	Physical Hazards	Personal Protection
	i ioditii i id=di do		i iiyoloai ilazalao	i cisonai i iotection

Issue Date: 02-Oct-2014

**Revision Date/Note**03-May-2019
Updated all sections DL
21-Apr-2017
Revised SECTON 2

Review Date 13-Apr-2021

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**