

Torch Coolant



PRODUCT DESCRIPTION

APEX Torch Coolant is a propylene glycol and de-ionized water mixture designed for use in the cooling system of plasma arc cutters. This product provides excellent conductive cooling to remove heat from the cutting torch. It provides corrosion protection, and also protects from freezing in cold environments.

TYPICAL ANALYSIS

APPEARANCE:Clear Blue Liquid
 pH @ 10% SOLUTION:..... 8.0
 SPECIFIC GRAVITY: 1.04
 ODOR:.....Mild
 FLASH POINT: ND
 VAPOR PRESSURE @ 20°C:..... ND
 FREEZING POINT:..... 15°F
 SOLUBILITY IN WATER:.....Complete

RECOMMENDED STARTING DILUTIONS

APEX Torch Coolant is ready-to-use. Add product to the coolant reservoir to the full level. Check the reservoir level on a regular basis to make sure there is always an adequate supply of coolant.

NOTES

- Use Ashburn Machine Cleaner for quick and thorough pre-cleaning of machine tools and coolant systems.
- Consult Ashburn prior to use on metals or applications not recommended.
- Unless recommended by Ashburn, this product should not be mixed with metal working fluid additives.

PACKAGING

A-6910-14 1 Gal (4/case)
 A-6910-05 5 Gal Pail
 A-6910-55 55 Gal Drum



7403 Wright Rd. Houston, TX 77041
 ph: 832.399.1000 fax: 832.399.1010
 www.ashburnchemical.com

